


KLIZNI MEHANIZAM ZA PREGRADNA DRVENA AMBAR VRATA

LOFT
INDUSTRIJSKI DIZAJN

MACO FORM 2023

KLIZNI MEHANIZAM ZA PREGRADNA DRVENA AMBAR VRATA


NOSIVOST DO 100 kg



LOFT


INDUSTRIJSKI DIZAJN


Set za klizna pregradna vrata uključuje



1. Klizna šina: 2000 mm
2. Težina vrata: do 100 kg
3. Debljina vrata: do 45 mm
4. Širina vrata: 900 mm
5. Boja kliznog sistema: crna

Klizač x 2 kom., usmerivač pravca x 1, šina 2 m, distancer x 5, odbojnik vrata x 2, stoper koji sprečava ispadanje vrata x 2, Soft Close usporivač x 2, aktivator x 2, set šrafova za montažu x 2.








WO - Visina otvora
 SO - Širina vrata
 WD - Visina vrata
 SD - Širina vrata
 WT - Pozicija distancera klizne šine

Proračun za vrata sa preklapanjem, Z = 50 mm


$$\begin{aligned} SD &= SO + 100 \\ WD &= WO + 40 \\ WT &= WO + 83 \end{aligned}$$




$$WT = WO + 83$$



Montaža usmerivača pravca kretanja vrata



Stoper sprečava ispadanje vrata iz šine!



Montaža Soft Close usporivača vrata

